BRAIN RESEARCH

VOL. 572 NOS. 1/2 **CONTENTS** **14 FEBRUARY 1992**

Announcement from the Publisher v

Research Reports

Abnormally high activity of 3-hydroxyanthranilate 3,4-dioxygenase in brain of epilepsy-prone El mice
K. Nakano, H. Asai and J. Kitoh (Japan) 1

Effects of superior olivary complex lesions on binaural responses in rat inferior colliculus
S.L. Sally and J.B. Kelly (Canada) 5

Growth-associated protein-like immunoreactivity in primary and permanent tooth pulp nerve fibers of the cat
K. Fried and M. Risling (Sweden) 19

Presynaptic site of action underlying the ethanol-induced inhibition of norepinephrine release evoked by stimulation of *N*-methyl-D-aspartate (NMDA) receptors in rat cerebral cortex
K. Fink and M. Göthert (F.R.G.) 27

Calbindin immunoreactivity in normal human temporal neocortex
I. Ferrer, T. Tuñón, E. Soriano, A. del Rio, I. Iraizoz, M. Fonseca and N. Guionnet (Spain) 33

c-fos may code for a common transcription factor within the hypothalamic neural circuits involved in osmoregulation
M. Hamamura, D.J.R. Nunez, G. Leng, P.C. Emson and H. Kiyama (U.K.) 42

Maternal stimulation affects the number of motor neurons in a sexually dimorphic nucleus of the lumbar spinal cord
C.L. Moore, H. Dou and J.M. Juraska (U.S.A.) 52

Prenatal cocaine exposure disrupts the development of the serotonergic system
H.M. Akbari, H.K. Kramer, P.M. Whitaker-Azmitia, L.P. Spear and E.C. Azmitia (U.S.A.) 57

The autoinhibitory feedback control of acetylcholine release in human neocortex tissue
T.J. Feuerstein, J. Lehmann, W. Sauermann, V. van Velthoven and R. Jackisch (Germany) 64

Testosterone prevents castration-induced reduction in peripheral benzodiazepine receptors in Cowper's gland and adrenal
A. Weizman, Z. Amiri, Y. Katz, S.H. Snyder and M. Gavish (Israel, U.S.A.) 72

Carbachol-induced theta-like activity in entorhinal cortex slices
J. Konopacki, H. Gołębiewski and B. Eckersdorf 76

Memory-enhancing effects of post-training dipivefrin and epinephrine: involvement of peripheral and central adrenergic receptors
I. Introini-Collison, D. Saghafi, G.D. Novack and J.L. McGaugh (U.S.A.) 81

Functional sensitization of striatal dopamine D_1 receptors in the 6-hydroxydopamine-lesioned rat
Christian Pifl, Harald Reither and Oleh Hornykiewicz (Austria) 87

Presynaptic $GABA_B$ receptor activation attenuates synaptic transmission to rat sympathetic preganglionic neurons in vitro
S.Y. Wu and N.J. Dun (U.S.A.) 94

Inhibition of excitatory amino acid-stimulated phosphoinositide hydrolysis in rat hippocampus by L-aspartate-β-hydroxamate
G.C. Ormandy (U.K.) 103

The central organization of carotid body afferent projections to the brainstem of the rat
J.C.W. Finley and D.M. Katz (U.S.A.) 108

The antidepressants fluoxetine, idazoxan and phenelzine alter corticotropin-releasing hormone and tyrosine hydroxylase mRNA levels in rat brain: therapeutic implications
L.S. Brady, P.W. Gold, M. Herkenham, A.B. Lynn and H.J. Whitfield Jr. (U.S.A.) 117

Extracellular pH modulates *N*-methyl-D-aspartate receptor-mediated neurotoxicity and calcium accumulation in rat cortical cultures
T. Takadera, Y. Shimada and T. Mohri (Japan) 126

Release of neurite outgrowth promoting factors by *Helisoma* central ganglia depends on neural activity
R.C. Berdan and R.L. Ridgway (Canada) 132

Growth cones of regenerating adult sciatic sensory axons release axonally transported proteins
P. Remgård, M. Edbladh, P.A.R. Ekström and A. Edström (Sweden) 139

Morphine-induced increases of extracellular histamine levels in the periaqueductal grey in vivo a microdialysis study
K.E. Barke and L.B. Hough (U.S.A.) 146

[^{3}H]Glycine uptake in rat hippocampus: kinetic analysis and autoradiographic localization
E. Fedele and A.C. Foster (U.K.) 154

Purification and structural analysis of hippocampal cholinergic neurostimulating peptide
K. Ojika, S.-i. Kojima, Y. Ueki, N. Fukushima, K.-i. Hayashi and M. Yamamoto (Japan) 164

AV3V lesion suppresses the pressor, dipsogenic and natriuretic responses to cholinergic activation of the septal area in rats
E. Colombari, W.A. Saad, L.A. de Arruda Camargo, A. Renzi, L.A. De Luca Jr. and J. Vanderlei Menani (Brazil) 172

Hippocampal neuronal responsiveness to NMDA agonists and antagonists in the adult rat neonatally treated with MK-801
J.A. Gorter, M. Veerman and M. Mirmiran (The Netherlands) 176

Voltage- and Ca^{2+}-activated ionic currents in acutely dissociated cells of the chick pineal gland
D. Henderson and S.E. Dryer (U.S.A.) 182

Pial arteriolar constriction following cortical spreading depression is mediated by prostanoids
M. Shibata, C.W. Leffler and D.W. Busija (U.S.A.) 190

(contents continued on p. 360)

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus (MEDLINE) — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — Pascal et Francis (INIST-CNRS) — RIS (Reference Update)

(contents continued)

The effects of dark-rearing on the electrophysiology of the rat visual cortex
L.A. Benevento, B.W. Bakkum, J.D. Port and R.S. Cohen (U.S.A.) 198
Morphine place conditioning is differentially affected by CCK_A and CCK_B receptor antagonists
G.A. Higgins, P. Nguyen and E.M. Sellers (Canada) 208
Neurophysiological, pharmacological and behavioral evidence for medial thalamic mediation of cocaine-induced dopaminergic analgesia
B.C. Shyu, J.A. Kiritsy-Roy, T.J. Morrow and K.L. Casey (U.S.A.) 216
The relationships between aging, monoamine oxidase, striatal dopamine and the effects of MPTP in C57BL/6 mice: a critical reassessment
I. Irwin, K.T. Finnegan, L.E. Delanney, D. Di Monte and J.W. Langston (U.S.A.) 224

Short Communications

Rat pineal Gsα, Giα and Goα: relative abundance and development
T. Babila, N.C. Schaad and D.C. Klein (U.S.A.) 232
Human auditory primary and association cortex have differing lifetimes for activation traces
Z.-L. Lü, S.J. Williamson and L. Kaufman (U.S.A.) 236
A dose-dependent increase of Tau immunostaining is produced by glutamate toxicity in primary neuronal cultures
P. Sindou, P. Couratier, D. Barthe and J. Hugon (France) 242
Kainic acid lesion of the striatum increases dopamine release but reduces 3-methoxytyramine level
L. Naudon, N. Dourmap, I. Leroux-Nicollet and J. Costentin (France) 247
Stress-induced analgesia prevents the development of the tonic, late phase of pain produced by subcutaneous formalin
A.L. Vaccarino, P. Marek and J.C. Liebeskind (U.S.A.) 250
CNS cell groups projecting to the submandibular parasympathetic preganglionic neurons in the rat: a retrograde transneuronal viral cell body labeling study
A.S.P. Jansen, G.J. Ter Horst, T.C. Mettenleiter and A.D. Loewy (U.S.A., Netherlands, F.R.G.) 253
Chronic intracerebral infusions of vasopressin and vasopressin antagonist modulate social recognition in rat
R.-M. Bluthé and R. Dantzer (France) 261
Induction of feeding by 7-chlorokynurenic acid, a strychnine-insensitive glycine binding site antagonist
T.L. Sorrels and E. Bostock (U.S.A.) 265
Observations of synaptic efficacy and paired-pulse facilitation in area CA1 of hippocampal slices from coriaria lactone-kindled rats
L. Guo, H. Chai, X. Liu, Y. Xie (People's Republic of China) 269
Anticonvulsant effect of liposome-entrapped superoxide dismutase in amygdaloid-kindled rats
H. Yokoyama, N. Mori, K. Osonoe, S. Ishida and H. Kumashiro (Japan) 273
The quantitative autoradiographic distribution of [^{3}H]MK-801 binding sites in the normal human brainstem in relation to motor neuron disease
P.J. Shaw, P.G. Ince, M. Johnson, E.K. Perry and J.M. Candy (U.K.) 276
Effects of nicotine on spatial memory deficits in rats with septal lesions
M.W. Decker, M.J. Majchrzak and D.J. Anderson (U.S.A.) 281
Organization of taste-evoked activity in the hamster parabrachial nucleus
C.B. Halsell and M.E. Frank (U.S.A.) 286
Effects of ovariectomy and estrogen replacement on dye coupling among rat supraoptic nucleus neurons
G.I. Hatton, Q.Z. Yang and L.E. Koran (U.S.A.) 291
Cortical hypoperfusion following spreading depression is not altered by tirilazad mesylate in awake rats
R.B. Duckrow and D.C. Beard (U.S.A.) 296
Decreased synthesis of ciliary neurotrophic factor in degenerating peripheral nerves
N. Seniuk, M. Altares, R. Dunn and P.M. Richardson (Canada) 300
Ultrastructural double-labeling demonstrates synaptic contacts between dopaminergic terminals and substance P-containing striatal neurons in pigeons
E.J. Karle, K.D. Anderson and A. Reiner (U.S.A.) 303
Testosterone improves maze performance and induces development of a male hippocampus in females
R.L. Roof and M.D. Havens (U.S.A.) 310
Glial fibrillary acidic protein (GFAP) expression and nucleolar organizer regions (NORs) in human gliomas
K. Kajiwara, T. Orita, T. Nishizaki, T. Kamiryo, H. Nakayama and H. Ito (Japan) 314
Calbindin-like immunoreactivity in two peripheral chemosensory tissues of the rat: taste buds and the vomeronasal organ
E.W. Johnson, P.M. Eller, B.W. Jafek and A.W. Norman (U.S.A.) 319
Unilateral enucleation alters vasoactive intestinal polypeptide-like immunoreactivity in the suprachiasmatic nucleus of the rat
L.K. Laemle (U.S.A.) 325
Transplantation of embryonic serotonin immunoreactive neurons into the transected spinal cord of adult monkey (*Macaca fascicularis*)
N. Rajaofetra, P. Poulat, L. Marlier, F. Sandillon, M.J. Drian, N. König, F. Famose, B. Verschuere, D. Gouy, M. Geffard and A. Privat (France) 329

(contents continued)

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus (MEDLINE) — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — Pascal et Francis (INIST-CNRS) — RIS (Reference Update)

Brain Research, 572 (1992) 359
Elsevier

Corrigendum

Bicker, G., Taurine-like immunoreactivity in photoreceptor cells and mushroom bodies: a comparison of the chemical architecture of insect nervous systems, *Brain Research,* 560 (1991) 201–206.

Owing to an error in the succession of sections, discovered unfortunately after this paper was published, the labelling of the pedunculus pe in Fig. 2b is incorrect and should be replaced by α-lobe.

The author apologises for any confusion which the above mistake may have caused.

Contents continued

Changes in intracellular pH of mouse hippocampal slices responding to hypoxia and/or glucose depletion
N. Fujiwara, T. Abe, H. Endoh, A. Warashina and K. Shimoji (Japan) 335
Regulation of acetylcholine release in vivo from rat hippocampus by monoamines as revealed by novel column-switching HPLC with electrochemical detection
T. Ohue, K. Koshimura, Y. Akiyama, A. Ito, T. Kido, Y. Takagi and S. Miwa (Japan) 340
Selective distribution pattern of γ-hydroxybutyrate receptors in the rat forebrain and midbrain as revealed by quantitative autoradiography
V. Hechler, S. Gobaille and M. Maitre (France) 345
Postnatal change in a Ca^{2+}-mediated decrease in $(Na^+ + K^+)$-ATPase activity in rat brain slices
T. Matsuda, I. Shimizu and A. Baba (Japan) 349
Capsaicin-sensitive nonadrenergic and noncholinergic depressor response to spinal cord stimulation in the pithed rat
T. Taguchi, H. Kawasaki, T. Imamura and K. Takasaki (Japan) 352

Author Index 356

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus (MEDLINE) — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — Pascal et Francis (INIST-CNRS) — RIS (Reference Update)